Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	@ad<"20000229" and (select$3 adj10 authent$7) and (flag$2) and (efficiency or efficiently) and (client adj20 generate adj20 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 14:24
S2	83	@ad<"20000229" and (select$3 adj10 authent$7) and (flag$2) and (efficiency or efficiently)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 14:25
S3	35	@ad<"20000229" and (select$3 adj2 authent$7) and (flag$2) and (efficiency or efficiently)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 14:27
S4	0	@ad<"20000229" and (selective adj2 authent$7) and (flag$2) and (efficiency or efficiently)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 14:27
S5	0	@ad<"20000229" and (selective adj10 authent$7) and (flag$2) and (efficiency or efficiently)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 14:27
S6	1	@ad<"20000229" and (selective adj20 authent$7) and (flag$2) and (efficiency or efficiently)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 14:30
S7	83	@ad<"20000229" and (select$3 adj10 authent$7) and (flag$2) and (efficiency or efficiently)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 14:30
S8	50	@ad<"20000229" and (select$3 adj5 authent$7) and (flag$2) and (efficiency or efficiently)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 15:06
S9	243	@ad<"20000229" and (select$3 adj15 authent$7) and (efficiency or efficiently)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 15:16
S10	204	@ad<"20000229" and (select$3 adj10 authent$7) and (efficiency or efficiently)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 15:16
S11	173	@ad<"20000229" and (select$3 adj7 authent$7) and (efficiency or efficiently)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 15:16
S12	135	@ad<"20000229" and (select$3 adj7 authent$7) and (efficiency or efficiently) and secur$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/29 13:54
S13	74	@ad<"20000229" and (select$3 adj7 authent$7) and (efficiency or efficiently) and secur$3 and server$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 15:17
S14	74	@ad<"20000229" and (select$3 adj7 authent$7) and (efficiency or efficiently) and secur$3 and server$2 "denial of service"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 15:17
S15	16	@ad<"20000229" and (select$3 adj7 authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 15:33

S16	0	@ad<"20000229" and (selective adj7 authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 15:33
S17	0	@ad<"20000229" and (selective adj20 authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 15:34
S18	0	@ad<"20000229" and (selective adj300 authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 15:34
S19	1	@ad<"20000229" and (selecting adj30 authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 15:34
S20	1	@ad<"20000229" and (selecting adj40 authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 15:34
S21	4	@ad<"20000229" and (selecting same authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/12 15:34
S22	13	("5546584", "5649099", "5812776", "5815574", "5903732", "5987232", "0733969").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/13 09:13
S23	6	@ad<"20000229" and 713/153.ccls. and select$3 adj10 authenticat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/13 09:38
S24	120	@ad<"20000229" and ((select$3 or choos$5 or elect$3) adj7 (secur$4 or authent$7)) and ((sub adj5 set) or (sub adj5 group))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/29 17:34
S25	98	@ad<"20000229" and (select$3 adj7 (secur$4 or authent$7)) and ((sub adj5 set) or (sub adj5 group))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/29 17:37
S26	20	@ad<"20000229" and (select$3 adj7 (secur$4 or authent$7)) and ((sub adj2 set) or (sub adj2 group)) and server$2 and (client$2 or user$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/29 17:50
S27	0	@ad<"20000229" and (select$3 adj7 (secur$4 or authent$7) same methods) and ((sub adj2 set) or (sub adj2 group)) and server$2 and (client$2 or user$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/29 17:50
S28	2258	@ad<"20000229" and ((select$3 or elect$3 or choos$4) same (secur$4 or authent$7) same methods)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/29 17:51
S29	200	@ad<"20000229" and ((select$3 or elect$3 or choos$4) near10 (secur$4 or authent$7) near10 methods)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/29 17:51
S30	0	@ad<"20000229" and ((select$3 or elect$3 or choos$4) near10 (secur$4 or authent$7) near10 methods) and (server$2 same (sub adj2 (group$2 or set$2))) same client$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/29 17:53

S31	0	@ad<"20000229" and ((select$3 or elect$3 or choos$4) near10 (secur$4 or authent$7) near10 methods) and (server$2 same (sub adj2 (group$2 or set$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/29 17:53
S32	12	@ad<"20000229" and ((select$3 or elect$3 or choos$4) near10 (secur$4 or authent$7) near10 methods) and (sub adj2 (group$2 or set$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 09:37
S33	2	"20020049603"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/30 10:12
S34	2	"6167409".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/30 10:20
S35	2	"5557722".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/30 10:20
S36	1929	@ad<"20000229" and ((select$3 or elect$3 or choos$4) near10 (secur$4 or authent$7) near10 method$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 09:38
S37	144	@ad<"20000229" and ((select$3 or elect$3 or choos$4) near10 (secur$4 or authent$7) near10 method$5) and (server near10 stor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 09:38
S38	119	@ad<"20000229" and ((select$3 or elect$3 or choos$4) near10 (secur$4 or authent$7) near10 method$5) and (server near5 stor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 09:39
S39	12	@ad<"20000229" and ((select$3 or elect$3 or choos$4) near10 (secur$4 or authent$7) near10 method$5) and (server near5 stor$3 near5 method$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 09:48
S40	566	@ad<"20000229" and (select$3 near5 (secur$4 or authent$7)) and (server near5 stor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 09:50
S41	185	@ad<"20000229" and (select$3 near5 authent$7) and (server near5 stor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 09:50
S42	60	@ad<"20000229" and (select$3 near5 authent$7) and (server near5 stor$3) and subset	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 09:51
S43	44	@ad<"20000229" and (select$3 near5 authent$7) and (server near5 stor$3) and (subset same (client$2 or user$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 10:02
S44	21	@ad<"20000229" and ((select$3 or pick or choose) adj5 authent$7) and (server near5 stor$3) and subset	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 10:03

L Number	Hits	Search Text	DB	Time stamp
4	6	@ad<20000229 and 713/153.ccls. and select$3 adj10 authenticat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/13 09:38
-	0	@ad<20000229 and (select$3 adj10 authent$7) and (flag$2) and (efficiency or efficiently) and (client adj20 generate adj20 request)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 14:24
-	83	@ad<20000229 and (select$3 adj10 authent$7) and (flag$2) and (efficiency or efficiently)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 14:25
-	35	@ad<20000229 and (select$3 adj2 authent$7) and (flag$2) and (efficiency or efficiently)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 14:27
-	0	@ad<20000229 and (selective adj2 authent$7) and (flag$2) and (efficiency or efficiently)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 14:27
-	0	@ad<20000229 and (selective adj10 authent$7) and (flag$2) and (efficiency or efficiently)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 14:27
-	1	@ad<20000229 and (selective adj20 authent$7) and (flag$2) and (efficiency or efficiently)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 14:30
-	83	@ad<20000229 and (select$3 adj10 authent$7) and (flag$2) and (efficiency or efficiently)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 14:30
-	50	@ad<20000229 and (select$3 adj5 authent$7) and (flag$2) and (efficiency or efficiently)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:06

-	243	@ad<20000229 and (select$3 adj15 authent$7) and (efficiency or efficiently)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:16
-	204	@ad<20000229 and (select$3 adj10 authent$7) and (efficiency or efficiently)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:16
-	173	@ad<20000229 and (select$3 adj7 authent$7) and (efficiency or efficiently)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:16
-	135	@ad<20000229 and (select$3 adj7 authent$7) and (efficiency or efficiently) and secur$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:17
-	74	@ad<20000229 and (select$3 adj7 authent$7) and (efficiency or efficiently) and secur$3 and server$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:17
-	74	@ad<20000229 and (select$3 adj7 authent$7) and (efficiency or efficiently) and secur$3 and server$2 "denial of service"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:17
-	16	@ad<20000229 and (select$3 adj7 authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:33
-	0	@ad<20000229 and (selective adj7 authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:33
-	0	@ad<20000229 and (selective adj20 authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:34
-	0	@ad<20000229 and (selective adj300 authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:34
-	1	@ad<20000229 and (selecting adj30 authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:34

-		1	@ad<20000229 and (selecting adj40 authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:34
-		4	@ad<20000229 and (selecting same authent$7) and (efficiency or efficiently) and secur$3 and server$2 and dos	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/12 15:34